

# Straight cables

see next page for prices >>

Contact us to have your own custom made cables >>



Part No.	No of cores	Cable outer diameter	Colour	Screening and twisting	Tie cords	Outer Material	Conductor Material	Conductor AWG	No of Braids/ Braided AWG
<b>G-9500254</b>	1	2.60	Metallic	Double braided, waxed and shielded	0	Shield	Tinned copper	22	7/30
<b>G-9500427 M (FLESH)</b>	1	1.30	Flesh	Overall screening	0	polyurethane	Bare copper	26	65/44
<b>G-9500708</b>	1	3.80	Black	-	0	PVC	Tinned copper	18	16/30
<b>G-9501375</b>	1	2.60	Black	Overall screening	0	PVC	Tinned copper	26	65/44
<b>G-9501387</b>	1	1.70	Black	Overall screening	0	polyurethane	Hard tinned cadmium copper alloy	30	19/42
<b>G-9500085 ROHS</b>	2	3.80	Black	-	0	polyurethane	Specialised hard tinned cadmium copper alloy	25	37/40
<b>G-9500267 M</b>	2	2.16	Black	Overall screening	0	polyurethane	Hard tinned cadmium copper alloy	31	7/39
<b>G-9500504 M</b>	2	4.00	Black	Overall screening	2	Polyurethane	Hard tinned cadmium copper alloy	25	37/40
<b>G-9500546 M</b>	2	1.90	Black	Overall screening	0	polyurethane	Hard tinned cadmium copper alloy	31	7/39
<b>G-9500924</b>	2	4.20	Black	-	1	polyurethane	Tinned copper	20	19/32
<b>G-9500924 M</b>	2	4.20	Black	-	1	polyurethane	Tinned copper	20	19/32
<b>G-9501008</b>	2	4.06	Black	-	2 (stay cords)	polyurethane	Hard tinned cadmium copper alloy	24	46/40
<b>G-9500086 ROHS</b>	3	4.60	Black	1 core screened	0	polyurethane	High strength alloy	25	37/40
<b>G-9500176 (BLACK)</b>	3	2.70	Black	1 core screened and insulated	2	polyurethane	Tinned copper	30	7/38
<b>G-9500731 METERS</b>	3	1.78	Black	Overall screening	0	polyurethane	Tinned copper	32	7/40
<b>G-9500087 ROHS</b>	4	4.70	Black	1 core screened	0	polyurethane	HT cad-free alloy	25	37/40
<b>G-9500730 CMS</b>	4	4.10	Black	2 pairs twisted and shielded wrapped with tie cord with overall shielding	1	polyurethane	Tinned copper	28	19/40
<b>G-9500793 M</b>	4	4.20	Black	-	1	polyurethane	Tinned copper	26	19/38
<b>G-7950070-1 M</b>	5	4.10	Black	1 core screened	1	polyurethane	Hard tinned copper alloy	28	19/40
<b>G-9500265 M</b>	6	4.70	Black	1 core screened	0	polyurethane	Hard tinned cadmium copper alloy	25	37/40
<b>G-9500579 METER</b>	6	7.60	Black	3 pairs twisted and shielded in isolation	3	polyurethane	Silver plated alloy	26	19/38
<b>G-9500978</b>	6	5.30	Black	3 pairs twisted and shielded in isolation	0	polyurethane	Specialised hard tinned cadmium copper alloy	26	19/38
<b>G-9501068</b>	6	6.00	Black	1 core screened and insulated with overall screen	0	polyurethane	Tinned copper	26	26/40
<b>G-9501384</b>	6	6.15	Black	1 core screened and insulated with overall screen	2	polyurethane	Specialised hard tinned cadmium copper alloy	26	19/38
<b>G-9501509</b>	6	3.60	Black	Overall screening	1	polyurethane	HT cad-free alloy	30	19/42
<b>G-9501228</b>	7	3.80	Black	Overall screening	1	polyurethane	Tinned copper	30	7/38
<b>G-9501276</b>	7	6.35	Black	2 pairs twisted and shielded with overall shielding	0	polyurethane	Tinned copper	26	19/38
<b>G-9501225</b>	8	4.70	Black	1 pair twisted and screened with overall screen	0	polyurethane	Tinned hard cad free alloy	26/28	(19/38)(19/40)
<b>G-9501437</b>	8	5.60	Black	2 pairs twisted and shielded with overall shielding	2	polyurethane	Specialised hard tinned cadmium copper alloy	24/28	(46/40)(40/44)
<b>G-9501397</b>	9	5.30	Black	2 cores individually screened with overall screen	1	polyurethane	Specialised hard tinned cadmium copper alloy	26	19/38
<b>G-9501013</b>	10	6.70	Black	1 core screened and insulated with overall screen	0	polyurethane	Tinned copper	24	19/36
<b>G-9501019</b>	10	6.20	Black	Each core screened separately	1	polyurethane	Bare copper	27	50/44
<b>G-9500827</b>	12	5.40	Black	Twisted into 6 pairs with overall screening	0	polyurethane	Tinned copper	26	19/38

# Straight cables prices

Prices shown per meter

Contact us to have your own custom made cables





Part No	1 to 9m	10 to 24m	25 to 49m	50 to 99m	100+m
G-9500254	£4.89	£4.08	£2.85	£2.54	Contact us
G-9500427 M (FLESH)	**	£0.89	£0.80	£0.70	Contact us
G-9500708	**	£0.95	£0.85	£0.76	Contact us
G-9501375	£1.81 *	£1.58	£1.42	£1.30	Contact us
G-9501387	£3.75	£3.39	£3.09	£2.78	Contact us
G-9500085 ROHS	£3.44 *	£2.88	£2.58	£2.30	Contact us
G-9500267 M	£3.04 *	£2.54	£2.28	£2.03	Contact us
G-9500504 M	£4.70 *	£3.92	£3.52	£3.13	Contact us
G-9500546 M	£3.20 *	£2.78	£2.66	£2.48	Contact us
G-9500924	**	£0.51	£0.46	£0.41	Contact us
G-9500924 M	£3.06 *	£2.55	£2.30	£2.04	Contact us
G-9501008	£3.50	£3.05	£2.73	£2.59	Contact us
G-9500086 ROHS	£4.25 *	£3.93	£3.52	£3.19	Contact us
G-9500176 (BLACK)	£3.65 *	£3.04	£2.96	£2.74	Contact us
G-9500731 METERS	£2.58 *	£2.15	£1.93	£1.71	Contact us
G-9500087 ROHS	£4.86 *	£4.46	£4.05	£3.78	Contact us
G-9500730 CMS	£5.36 *	£4.46	£4.01	£3.56	Contact us
G-9500793 M	£4.33 *	£3.62	£3.25	£2.89	Contact us
G-7950070-1 M	£5.37 *	£4.96	£4.39	£3.73	Contact us
G-9500265 M	£6.13	£5.54	£4.59	£4.09	Contact us
G-9500579 METER	£17.00	£14.16	£12.74	£11.33	Contact us
G-9500978	£7.40	£6.16	£5.55	£4.93	Contact us
G-9501068	£9.77	£8.14	£7.33	£6.52	Contact us
G-9501384	£8.78	£7.32	£6.59	£5.85	Contact us
G-9501509	£5.04	£4.20	£3.78	£3.36	Contact us
G-9501228	£6.57	£6.14	£5.74	£5.25	Contact us
G-9501276	£14.73	£14.31	£13.88	£13.31	Contact us
G-9501225	£9.79	£8.15	£7.34	£6.52	Contact us
G-9501437	£16.23	£13.53	£12.16	£10.81	Contact us
G-9501397	£12.30	£10.25	£9.22	£8.21	Contact us
G-9501013	£7.79	£6.49	£5.85	£5.20	Contact us
G-9501019	£9.38	£7.82	£7.03	£6.25	Contact us

Prices do not include VAT

\* Minimum order quantity 5m.

Minimum purchase order value is £50.00.

Delivery postage and packing via courier is £14.50. Please contact us for customers outside of the UK.



Not seeing what you're looking for?  
We can custom make microphones, cables and cable assemblies to your specifications.  
[Click here to contact us.](#)




# Coiled cables

see next page for prices >>

Contact us to have your own custom made cables >>



Part No.	No of cores	Cable outer diameter	Approximate extended length	Retracted Length	Colour	TAIL A	TAIL B	Coil outer diameter	Screening and twisting	Tie cords	Outer Material	Conductor Material	Conductor AWG	No of Braids/ Braided AWG
G-7980472	2	3.90	2.20m	300mm	Black	85	100	14	1 twisted pair unscreened	0	polyurethane	Tinned copper	24	19/36
G-7980121	5	4.10	9.60m	1.1m	Black	150	150	15	1 core screened	1	polyurethane	Tinned copper	28	19/40
G-7980166	5	4.10	1.75m	165mm	Black	175	175	15	1 core screened	1	polyurethane	Tinned copper	28	19/41
G-7980254	5	4.10	2.30m	200mm	Black	170	210	15	1 core screened	1	polyurethane	Hard tinned cadmium copper alloy	28	19/40
G-7980353	5	4.10	8.20m	850mm	Black	320	320	15	1 core screened	1	polyurethane	28	28	19/40
PAMSPC101	5	4.10	3.20m	380mm	Black	175	175	16	1 core screened	1	polyurethane	Hard tinned copper alloy	28	19/40
G-7980060	6	6.80	2.60m	254mm	Black	320	533	25	3 twisted pairs with isolated screens	3	polyurethane	Silver plated alloy	26	19/38
G-7980140	6	4.30	4.50m	460mm	Black	180	180	16	2 cores individually screened	1	polyurethane	Hard tinned cadmium copper alloy	28	19/40
G-7980360-RED	6	6.80	7.75m	1000mm	Red	250	250	25	3 twisted pairs, one pair screened	1	polyurethane	Silver plated alloy	26	19/38
G-7980360-YELLOW	6	6.80	7.75m	500mm	Yellow	250	250	25	3 twisted pairs, one pair screened	1	polyurethane	Silver plated alloy	26	19/38
G-7980480	6	6.15	6.00m	1000mm	Black	200	200	22	1 core screened and insulated with overall screen	2	polyurethane	Hard tinned copper alloy	26	19/38
G-7980484	6	3.60	2.00m	164mm	Black	65	426	13.7	Overall screening	1	polyurethane	HT-CFCA	28	19/40
G-7980501	6	6.15	2.75m	280mm	Black	430	230	22	1 core screened and insulated with overall screen	2	polyurethane	Hard tinned copper alloy	26	19/38
G-7980219	7	6.40	1.30m	125mm	Black	150	150	24	2 pairs of cores twisted and screened. 3 separately twisted	0	polyurethane	Tinned copper	26	19/38
G-7980483	9	5.30	5.00m	460mm	Black	250	700	21.4	2 singles shielded separately	1	polyurethane	Hard tinned copper alloy	26	19/38
G-7980333	10	4.20	2.60m	340mm	Black	160	160	18	1 twisted pair screened	1	polyurethane	Tinned copper	30	7/38



Cable material additional information >>

Not seeing what you're looking for? We can custom make microphones, cables and cable assemblies to your specifications. [Click here to contact us.](#) >>

# Coiled cables prices

Prices shown per unit

Contact us to have your own custom made cables [»](#)



Part No	1 to 9	10 to 24	25 to 49	50 to 99	100+
<b>G-7980472</b>	£7.76	£7.14	£6.52	£5.90	Contact us
<b>G-7980121</b>	£35.44	£32.60	£29.77	£26.93	Contact us
<b>G-7980166</b>	£11.02	£10.14	£9.26	£8.60	Contact us
<b>G-7980254</b>	£8.64	£7.95	£7.26	£6.56	Contact us
<b>G-7980353</b>	£73.79	£67.89	£61.99	£56.08	Contact us
<b>PAMSPC101</b>	£20.22	£18.41	£17.00	£15.96	Contact us
<b>G-7980060</b>	£44.90	£41.31	£37.72	£34.13	Contact us
<b>G-7980140</b>	£27.65	£25.43	£23.23	£22.88	Contact us
<b>G-7980360-RED</b>	£131.41	£118.27	£105.12	£98.56	Contact us
<b>G-7980360-YELLOW</b>	£131.41	£118.27	£105.12	£98.56	Contact us
<b>G-7980480</b>	£65.18	£59.97	£54.76	£49.55	Contact us
<b>G-7980484</b>	£27.92	£25.69	£23.45	£21.22	Contact us
<b>G-7980501</b>	£31.19	£28.69	£26.19	£23.71	Contact us
<b>G-7980219</b>	£38.58	£35.49	£32.40	£28.92	Contact us
<b>G-7980483</b>	£41.62	£38.30	£34.97	£31.89	Contact us
<b>G-7980333</b>	£24.53	£22.57	£20.60	£18.64	Contact us



Prices do not include VAT

\* Minimum order quantity 5m.

Minimum purchase order value is £50.00.

Delivery postage and packing via courier is £14.50. Please contact us for customers outside of the UK.

The G-7980333



Not seeing what you're looking for?  
We can custom make microphones, cables and cable assemblies to your specifications.  
[Click here to contact us.](#) [»](#)